Securities and Exchange Board of India (SEBI)

XML Template Definition

Offsite Inspection cum Surveillance of PMS (Portfolio Managers) – PMS Reports

Version 5.5

"[Kindly ensure to read the Introduction and follow all the IMPORTANT NOTES carefully]"

Contents

| ١. | Introd | duction | 4 |
|----|---------|--|----|
| 2. | XML | Files Conventions | 6 |
| 3. | XML | Template Definitions | 7 |
| | 3.1. PM | S_Inspection_Client_Cap_Transactions.xml | 7 |
| | 3.1.1. | Header [<header></header>] | 7 |
| | 3.1.2. | Client_Cap_Transactions | _ |
| | | t_Cap_Transactions>] | |
| | | IS_Inspection_Client_Expense_Master.xml | |
| | 3.2.1. | Header [<header></header>] | |
| | 3.2.2. | Client_Expense <client_expense></client_expense>] | |
| | 3.3. PM | IS_Inspection_Client_Folio_AUM.xml | |
| | 3.3.1. | Header [<header></header>] | 13 |
| | 3.3.2. | Client_Folio_AUM [<client_folio_aum></client_folio_aum>] | 14 |
| | 3.4. PM | IS_Inspection_Client_Folio_Master.xml | |
| | 3.4.1. | Header [<header></header>] | |
| | 3.4.2. | Client_Folio [<client_folio></client_folio>] | 16 |
| | 3.5. PM | IS_Inspection_Client_Holding_Master.xml | 21 |
| | 3.5.1. | Header [<header></header>] | 21 |
| | 3.5.2. | Client_Holding [<client_holding></client_holding>] | 22 |
| | 3.6. PM | IS_Inspection_Client_Master.xml | 25 |
| | 3.6.1. | Header [<header></header>] | 25 |
| | 3.6.2. | Client_Master [<client_master></client_master>] | 26 |
| | 3.7. PM | IS_Inspection_PM_Operating_Expense.xml | 34 |
| | 3.7.1. | Header [<header></header>] | 34 |
| | 3.7.2. | PMS_Expense [<pms_expense></pms_expense>] | 35 |
| | 3.8. PM | IS_Inspection_PM_Master.xml | 37 |
| | 3.8.1. | Header [<header></header>] | 37 |
| | 3.8.2. | PMS_Master [<pms_master></pms_master>] | 38 |
| | 3.9. PM | IS_Inspection_PM_Pool_Acc_Master.xml | 41 |
| | 3.9.1. | Header [<header></header>] | 41 |
| | 3.9.2. | PMS_PoolAcc [<pms_poolacc></pms_poolacc>] | 42 |
| | 3.10. F | PMS_Inspection_PM_Associated_Security_Details.xml | 43 |
| | 3.10.1. | Header [<header></header>] | 43 |

| 3.1 | 10.2. | PMS_Asctd_Sec_Dtls [<pms_asctd_sec_dtls><th>tls>]</th></pms_asctd_sec_dtls> | tls>] |
|------|---------|---|-------|
| 4. | Annexur | re | 46 |
| 4.1. | Annex | kure A | 46 |
| 4.2. | Annex | kure B | 47 |

1. Introduction

- 1.1. This document outlines the XML Template Definition for the Monthly Report of Portfolio Management Services (PMS). All Portfolio Managers (PMs) will be provided with a facility to upload Monthly Report using their respective SI Portal login credentials.
- 1.2. For better representation of data and user convenience, the Monthly Report is divided into 10 different reports, with each report seeking a different set of data as explained in this document. It is mandatory to upload all the 10 files for each month in a particular order.
 - Note: The submission is to be done Quarterly but the reports are to be maintained on monthly basis. So, for each quarter, user has to upload a total of 30 files pertaining to the 3 months of the quarter and 10 files for each month as described.
- 1.3. Further, for the ease of user convenience, for these 10 XML files, one .xlsx (Excel) utility document with 10 sheets corresponding to the 10 XMLs is also being shared. The xlsx document has in-built most of the XSD validations and other checks. The same can be used to easily enter the data and export it into XML from the Excel's in-built Export to XML Data feature and XSD validation can also be done there itself while exporting to XML. For each sheet of Excel, one XML document can be generated once it is validated by Excel (XSD is already auto included in the Excel for validation).
- 1.4. On SI Portal, user has to <u>upload the XML files</u> (either prepared directly or via the XLS). The XML file shall first be validated against the XSD (shared on SI Portal) and if passed, it shall be processed on server to check for any further errors.
- 1.5. User has to ensure that uploaded XML file is as per the XSD format and follows all the validations (as explained in this document and mostly included in the XLS also).
- 1.6. Nil Reports must be submitted using the 'Nil Report' Checkbox available on the upload page. If an XML file with nil data is uploaded, it will be rejected at the backend.
- 1.7. All Client related reports for a particular month shall be processed as a single batch. If one report has error/s, all other client reports will be marked as Error and need to be re-uploaded.

IMPORTANT NOTE:

USER has to upload the reports for a given Month in the following Sequence ONLY:

- 1. PM_MASTER
- 2. PM_POOL_ACC_MASTER
- 3. CLIENT_MASTER
- 4. CLIENT_FOLIO_MASTER
- 5. All the Other Reports in ANY order

Upload all 10 reports of a month before proceeding to upload the next month's reports.

2. XML Files Conventions

- 2.1. The uploaded files should have '.xml' extension.
- 2.2. The File name can not contain any of the following special Characters <, > , " ,*, ; ,#, but within the file it is allowed subject to other validations.
- 2.3. Only the XML Tags defined in the template should be present in the file.
- 2.4. No XML Tag where-in data is input should appear more than once in the same parent tag.
- 2.5. There is a restriction on the number of same child tags to be only one in some cases and the same is mentioned in this document.
- 2.6. The XML tags should be in proper order and should form a hierarchy.
- 2.7. '< PMSReport>' will be the first tag of all the XML Files indicating start of the report.
- 2.8. The last line of the files will be '</PMSReport >' indicating end of the report.
- 2.9. The values should be placed properly between the relevant opening and closing XML tag.
- 2.10. For Non-Mandatory Fields, if no values are applicable, kindly do not provide the tag.
- 2.11. Kindly ensure to upload the correct XML File with all the valid entries, else it will be rejected at the backend.

3. XML Template Definitions

3.1. PMS_Inspection_Client_Cap_Transactions.xml

3.1.1. Header [<Header></Header>] – Only one occurrence

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|----------------------------------|-----------|-----------|---|-------------------------------------|
| 1 | <login_id></login_id> | INT | Y | >0 | Login ID of the PMS |
| 2 | <year> <year></year> </year> | STRING | Y | 20XX to 21XX | Year of Report for this XML File |
| 3 | <month> <month></month> </month> | STRING | Y | January February March April May June July August September October November December | Month of Report for this XML File |

3.1.2. Client_Cap_Transactions [<Client_Cap_Transactions></Client_Cap_Transactions>] - None or more occurrences allowed

Important Note: Kindly ensure that each of the UNIQUE_CLIENT_CODE and CLIENT_FOLIO_NO combination entered in this report should exactly match with some entry of UNIQUE_CLIENT_CODE and CLIENT_FOLIO_NO present in the CLIENT_FOLIO_MASTER report

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|--|--------------|-----------|--|---|
| 1 | <unique_client_code></unique_client_code> | STRING | Y | Maximum length allowed: 20 | Unique client code |
| 2 | <client_folio_no></client_folio_no> | STRING | Y | Maximum length allowed: 20 | Folio no. of the client. Provide Unique Client Code, if folio no. not maintained. |
| 3 | <pre><transaction_type></transaction_type></pre> | STRING | Y | Initial Inflow Top Up Partial Redemption Full Redemption Interest/Dividend Pay-in Interest/Dividend Pay-out Tax Liability (TDS or IT for NRI) Switch-in Switch-out | * Please see note below. All redemption transactions after receipt of account closure/ deactivation/ transmission date shall be tagged as Full Redemption, even if the |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|---|--------------|-----------|-------------------|--|
| | | | | | proceeds are transferred in tranches. |
| 4 | <transaction_date></transaction_date> | DATE | Y | YYYY-MM-DD | Date on which transaction processed |
| 5 | <transaction_amount></transaction_amount> | FLOAT | Y | DECIMAL(24,4) | Value of transaction in INR |
| 6 | <transaction_units></transaction_units> | FLOAT | N | DECIMAL(24,4) | Number of units, if units are maintained by the PMS |
| 7 | <exit_load></exit_load> | FLOAT | N | DECIMAL(20,4) | Exit load charged by the PMS in INR (Mandatory in case of Full Redemption/Partial Redemption) |

^{*} For the period October 2023 to March 2024, Portfolio Managers have the discretion to report transactions in the original 4 categories i.e. Initial Inflow, Top Up, Partial Redemption and Full Redemption or including the new categories on best effort basis. However, April 2024 onwards, mis-tagging of transactions would be treated as incorrect data submission.

^{*} Exit_Load amount has to be given in the same row as the transaction for which the Exit_Load amount is charged.

3.2. PMS_Inspection_Client_Expense_Master.xml

3.2.1. Header [<Header></Header>] – Only one occurrence

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|----------------------------------|-----------|-----------|---|-------------------------------------|
| 1 | <login_id></login_id> | INT | Y | >0 | Login ID of the PMS |
| 2 | <year> <year></year> </year> | STRING | Y | 20XX to 21XX | Year of Report for this XML File |
| 3 | <month> <month></month> </month> | STRING | Y | January February March April May June July August September October November December | Month of Report for this XML File |

3.2.2. Client_Expense <Client_Expense></Client_Expense>] - None or more occurrences allowed

Important Note:

- 1. Kindly ensure that each of the UNIQUE_CLIENT_CODE and CLIENT_FOLIO_NO combination entered in this report should exactly match with some entry of UNIQUE_CLIENT_CODE and CLIENT_FOLIO_NO present in the CLIENT_FOLIO_MASTER Report.
- 2. For ease of reporting, a single entry for each expense sub-type per client per month may be reported with ACCRUAL_DATE as the last date of the month for which the report is being submitted.

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|---|-----------|-----------|--|--|
| 1 | <accrual_date></accrual_date> | DATE | Y | YYYY-MM-DD | Date of the expense charged |
| 2 | <unique_client_code></unique_client_code> | STRING | Y | Maximum length allowed: 20 | Unique client code |
| 3 | <client_folio_no></client_folio_no> | STRING | Y | Maximum length allowed: 20 | Folio Number of the client. Provide Unique Client Code, if folio no. not maintained. |
| 4 | <expense_type></expense_type> | STRING | Y | PMS Fees Operating Fees Statutory Levies | |
| 5 | <expense_sub_type></expense_sub_type> | STRING | Y | Management Fees (fixed) | In case of PMS Fees, either Management Fees (fixed) or |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|---------------------------------|-----------|-----------|---|--|
| | | | | Performance Fees (variable) | Performance Fees (variable) or Exit Load. |
| | | | | Exit Load | |
| | | | | Account Opening Charges (including stamp duty) Audit Fee Bank Charges Fund Accounting Charges Custody Fee Demat Charges Broking Fees Other Miscellaneous Expense | In case of Operating Expenses: (Account Opening charges including stamp duty / Audit Fee / Bank charges / Fund Accounting charges / Custody Fee / Demat charges / Broking Fees or other miscellaneous expense) |
| | | | | Statutory Levies | Levies: Statutory Levies |
| 6 | <expense_value></expense_value> | FLOAT | Y | DECIMAL(20,4) | Amount of the expense charged in INR |

3.3. PMS_Inspection_Client_Folio_AUM.xml

3.3.1. Header [<Header></Header>] – Only one occurrence

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|----------------------------------|-----------|-----------|---|-------------------------------------|
| 1 | <login_id></login_id> | INT | Y | >0 | Login ID of the PMS |
| 2 | <year> <year></year> </year> | STRING | Y | 20XX to 21XX | Year of Report for this XML File |
| 3 | <month> <month></month> </month> | STRING | Y | January February March April May June July August September October November December | Month of Report for this XML File |

3.3.2. Client_Folio_AUM [<Client_Folio_AUM></Client_Folio_AUM>] - None or more occurrences allowed

<u>Important Note</u>: Kindly ensure that each of the UNIQUE_CLIENT_CODE and CLIENT_FOLIO_NO combination entered in this report should exactly match with some entry of UNIQUE_CLIENT_CODE and CLIENT_FOLIO_NO present in the CLIENT_FOLIO_MASTER Report.

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|---|-----------|-----------|-------------------------------|---|
| 1 | <aum_date></aum_date> | DATE | Y | YYYY-MM-DD | |
| 2 | <unique_client_code></unique_client_code> | STRING | Υ | Maximum length allowed: 20 | Unique client code |
| 3 | <client_folio_no></client_folio_no> | STRING | Y | Maximum length allowed: 20 | Folio no. of the client for which AUM is provided. Provide Unique Client Code, if folio no. not maintained. |
| 4 | <client_folio_units></client_folio_units> | FLOAT | N | DECIMAL(24,4) | No. of units under the folio if units are maintained by PMS |
| 5 | <client_folio_aum></client_folio_aum> | FLOAT | Y | DECIMAL(24,4) | AUM of the folio in INR. For holidays and weekends, provide AUM of preceding working day. |

3.4. PMS_Inspection_Client_Folio_Master.xml

3.4.1. Header [<Header></Header>] – Only one occurrence

| # | Тад | Data Type | Mandatory | Allowed Character | Comments |
|---|----------------------------------|-----------|-----------|---|-------------------------------------|
| 1 | <login_id></login_id> | INT | Y | >0 | Login ID of the PMS |
| 2 | <year> <year></year> </year> | STRING | Y | 20XX to 21XX | Year of Report for this XML File |
| 3 | <month> <month></month> </month> | STRING | Y | January February March April May June July August September October November December | Month of Report for this XML File |

3.4.2. Client_Folio [<Client_Folio></Client_Folio>]

Important Note:

- Kindly ensure that each of the UNIQUE_CLIENT_CODE, CLIENT_FOLIO_NO and CLIENT_BOID combination entered in this report should exactly match with some entry of UNIQUE_CLIENT_CODE, CLIENT_FOLIO_NO and CLIENT_BOID combination present in the CLIENT_MASTER report.
- Also, ensure that each of the UNIQUE_CLIENT_CODE, CLIENT_FOLIO_NO and CLIENT_BOID combination should be uniquely identified in this report.
- No two entries for same UNIQUE_CLIENT_CODE, CLIENT_FOLIO_NO and CLIENT_BOID combination should be present.

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|----|--|-----------|-----------|----------------------------|--|
| 1. | <pre><unique_client_code></unique_client_code></pre> | STRING | Y | Maximum length allowed: 20 | Unique code for each investor based on agreement and holding nature (i.e. single/joint/etc.) |
| 2. | <client_folio_no></client_folio_no> | STRING | Y | Maximum length allowed: 20 | Folio no. of the client. Provide Unique Client Code, if folio no. not maintained. |
| 3. | <agreement_date></agreement_date> | DATE | Y | YYYY-MM-DD | Date of agreement |
| 4. | <investment_approach></investment_approach> | STRING | N | Maximum length allowed: 50 | Name of Investment Approach |
| 5. | <pre><investment_strategy></investment_strategy></pre> | STRING | Y | Equity Debt | |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|-----|--|-----------|-----------|-------------------------------|---|
| | | | | Hybrid Multi | |
| 6. | <benchmark></benchmark> | STRING | Y | Maximum length allowed: 50 | BENCHMARK INDEX selected by PM for the strategy. Benchmark Index names to be given exactly as provided by the index provider. |
| 7. | <client_boid></client_boid> | STRING | N | Length allowed: 16 | BOID of the client. For investors having investments only in MF Units in SOA format, BOID may not be provided. |
| 8. | <custodian_reg_no></custodian_reg_no> | STRING | N | Maximum length allowed: 20 | SEBI Registration Number of Custodian. Mandatory for Discretionary/Non-Discretionary services. |
| 9. | <custodian_name></custodian_name> | STRING | N | Maximum length allowed: 100 | Name of Custodian. Mandatory for Discretionary/Non- Discretionary services. |
| 10. | <pre><is_power_of_attorney_executed></is_power_of_attorney_executed></pre> | BOOL | Y | TRUE FALSE | Power of Attorney executed in favour of PM |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|-----|--|-----------|-----------|-------------------|--|
| 11. | <is_permission_invst_in_associates></is_permission_invst_in_associates> | BOOL | Y | TRUE FALSE | Whether client has given permission for investments in associates/related parties |
| 12. | <percentage_individual_equity_consent></percentage_individual_equity_consent> | FLOAT | N | DECIMAL(5,2) | Percent of AUM which can be invested by PM in the equity shares of one associate/related party. Only required if value is true in #11. |
| 13. | <percentage_total_equity_consent></percentage_total_equity_consent> | FLOAT | N | DECIMAL(5,2) | Percent of AUM which can be invested by PM in the equity shares of all its associate/related party. Only required if value is true in #11. |
| 14. | <percentage_individual_debt_consent></percentage_individual_debt_consent> | FLOAT | N | DECIMAL(5,2) | Percent of AUM which can be invested by PM in the debt and hybrid securities of one associate/related party. Only required if value is true in #11. |
| 15. | <pre><percentage_total_debt_consent></percentage_total_debt_consent></pre> NTAGE_TOTAL_DEBT_CONSENT> | FLOAT | N | DECIMAL(5,2) | Percent of AUM which can be invested by PM in the debt and hybrid securities |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|-----|---|-----------|-----------|-------------------|---|
| | | | | | of all its associate/related party. Only required if value is true in #11. |
| 16. | <percentage_total_limit_consent></percentage_total_limit_consent> | FLOAT | N | DECIMAL(5,2) | Percent of AUM which can be invested by PM in the equity, debt and hybrid securities of all its associate / related party. Only required if value is true in #11. |
| 17. | <is_consent_rebalance_passive>NT_REBALANCE_PASSIVE></is_consent_rebalance_passive> | BOOL | Y | TRUE FALSE | Consent: need not rebalance the portfolio on passive breach – true Need to rebalance the portfolio on passive breach – false Only required if value is true in #11. |
| 18. | <pre><is_consent_invst_in_equity_derivative> </is_consent_invst_in_equity_derivative></pre> | BOOL | Y | TRUE FALSE | Consent for investment in Equity Derivatives |
| 19. | <pre><is_consent_invst_in_commodity_derivativ e=""></is_consent_invst_in_commodity_derivativ></pre> | BOOL | Y | TRUE FALSE | Consent for investment in Commodity Derivatives |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|-----|---|-----------|-----------|-----------------------------|---|
| | < | | | | |
| 20. | <pre><percentage_derivative_consent></percentage_derivative_consent></pre> /PERCEN TAGE_DERIVATIVE_CONSENT> | FLOAT | Y | DECIMAL(5,2) | Percent of AUM which can be invested in derivatives |
| 21. | <is_consent_lending><!-- IS_CONSENT_LENDING--></is_consent_lending> | BOOL | Y | TRUE FALSE | Consent for lending of securities. |
| 22. | <client_custodian_code></client_custodian_code> | STRING | Y | Maximum length allowed: 20 | Custodian code of the client |
| 23. | <pm_distributor_name></pm_distributor_name> | STRING | N | Maximum length allowed: 100 | Name of the Distributor |
| 24. | <pm_distributor_pan> <is_valid_pan></is_valid_pan> </pm_distributor_pan> | STRING | N | Length allowed: 10 | PAN of the Distributor |
| 25. | <performance_fee_description></performance_fee_description> | STRING | Y | Maximum length allowed: 100 | Mode of charging performance fees in description |
| 26. | <pre><percentage_performance_fee></percentage_performance_fee></pre> AGE_PERFORMANCE_FEE> | FLOAT | Y | DECIMAL(5,2) | Performance fees percentage |

3.5. PMS_Inspection_Client_Holding_Master.xml

3.5.1. Header [<Header></Header>] – Only one occurrence

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|----------------------------------|-----------|-----------|---|-------------------------------------|
| 1 | <login_id></login_id> | INT | Y | >0 | Login ID of the PMS |
| 2 | <year> <year></year> </year> | STRING | Y | 20XX to 21XX | Year of Report for this XML File |
| 3 | <month> <month></month> </month> | STRING | Y | January February March April May June July August September October November December | Month of Report for this XML File |

3.5.2. Client_Holding [<Client_Holding></Client_Holding>] - None or more occurrences allowed

Important Note:

- 1. Kindly ensure that each of the UNIQUE_CLIENT_CODE and CLIENT_FOLIO_NO combination entered in this report should exactly match with some entry of UNIQUE_CLIENT_CODE and CLIENT_FOLIO_NO present in the CLIENT_FOLIO_MASTER report.
- 2. All holding/positions except listed equity is required to be reported.

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|---|-----------|-----------|--|--|
| 1 | <holding_date></holding_date> | DATE | Y | YYYY-MM-DD | Holding date. For holidays and weekends, provide holdings of preceding working day. |
| 2 | <unique_client_code></unique_client_code> | STRING | Y | Maximum length allowed: 20 | Unique code for each investor based on agreement and holding nature |
| 3 | <client_folio_no></client_folio_no> | STRING | Y | Maximum length allowed: 20 | Folio no. of the client. Provide Unique Client Code, if folio no. not maintained. |
| 4 | <investment_type></investment_type> | STRING | Y | Equity Debt Derivatives Mutual Fund | |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|---------------------------------|-----------|-----------|--|--|
| | | | | Other | |
| 5 | <asset_type></asset_type> | STRING | Y | Equity Shares Plain Debt Structured Debt Futures Options MF Units Overseas Units REIT InVIT Cash Other | Asset Type (For Equity - Equity Shares For Debt - Plain Debt, Structured Debt For Derivatives - Futures, Options For Mutual Funds - MF Units, Overseas Units For Other - Cash, REIT, INVIT, Other) |
| 6 | <issuer_name></issuer_name> | STRING | N | Maximum length allowed: 100 | Issuer name |
| 7 | <security_name></security_name> | STRING | N | Maximum length allowed: 100 | Name of the security |
| 8 | <security_isin></security_isin> | STRING | N | Length allowed: 12 | ISIN of security. For derivatives, provide ISIN of underlying security. |
| 9 | <security_code></security_code> | STRING | N | Maximum length allowed: 20 | Internal code of the security for which there is no ISIN. |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|----|--|-----------|-----------|----------------------|--|
| 10 | <is_security_associated>SSOCIATED></is_security_associated> | BOOL | Y | TRUE FALSE | If security is of associate/ related party |
| 11 | <pre><is_security_listed></is_security_listed></pre> | BOOL | Y | TRUE FALSE | If security is listed |
| 12 | <security_rating> </security_rating> | STRING | N | REFER ANNEXURE- A | Security rating mandatory in case of Debt/ Hybrid securities |
| 13 | <rating_agency> </rating_agency> | STRING | N | REFER ANNEXURE- B | Rating agency mandatory for debt / hybrid securities |
| 14 | <quantity></quantity> | FLOAT | N | DECIMAL(30,6) | Quantity |
| 15 | <unit_price></unit_price> | FLOAT | N | DECIMAL(30,6) | Market Price or valuation price of the security in INR |
| 16 | <market_value></market_value> | FLOAT | N | DECIMAL(30,6) | Market Value of securities in INR |
| 17 | <maturity_date></maturity_date> | DATE | N | YYYY-MM-DD | Maturity Date (in case of debt instrument) |
| 18 | <option_type></option_type> | STRING | N | Put Call | Option Type (Call or Put) |

3.6. PMS_Inspection_Client_Master.xml

3.6.1. Header [<Header></Header>] – Only one occurrence

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|----------------------------------|-----------|-----------|---|-------------------------------------|
| 1 | <login_id></login_id> | INT | Y | >0 | Login ID of the PMS |
| 2 | <year> <year></year> </year> | STRING | Y | 20XX to 21XX | Year of Report for this XML File |
| 3 | <month> <month></month> </month> | STRING | Y | January February March April May June July August September October November December | Month of Report for this XML File |

3.6.2. Client_Master [<Client_Master>>(Client_Master>)] - None or more occurrences allowed

Important Note:

- Kindly ensure that each of the UNIQUE_CLIENT_CODE, CLIENT_FOLIO_NO and CLIENT_BOID combination should be uniquely identified in this report.
- No two entries for same UNIQUE_CLIENT_CODE, CLIENT_FOLIO_NO and CLIENT_BOID combination should be present.
- 2 entries of UNIQUE_CLIENT_CODE + CLIENT_FOLIO_NO + CLIENT_BOID, i.e., one entry with BOID NULL and another with valid BOID, shall not be considered as Valid.

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|---|-----------|-----------|----------------------------|--|
| 1 | <unique_client_code></unique_client_code> | STRING | Y | Maximum length allowed: 20 | Unique code for each investor based on agreement and holding nature. Mandatory if account is active. |
| 2 | <client_folio_no> </client_folio_no> | STRING | N | Maximum length allowed: 20 | Folio no. of the client. Provide Unique Client Code, if folio no. not maintained. This value cannot be NULL, if CLIENT_BOID is not NULL. |
| 3 | <client_pan> </client_pan> | STRING | Y | Length allowed: 10 | Client PAN |
| 4 | <client_boid></client_boid> | STRING | N | Length allowed: 16 | BOID of the client. For investors having investments only in MF Units in SOA format, BOID may not be provided. |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|---|-----------|-----------|--|----------|
| 5 | <client_category></client_category> | STRING | Y | Individual Resident Individual Non Resident HUF Corporate Resident Corporate Non- Resident Association of Persons Body of Individuals Partnership Firm Limited Liability Partnership Trust FPI Other | |
| 5 | <client_sub_category></client_sub_category> | STRING | Y | General Accredited Large Value Accredited Co-investment Eligible Investment Fund Not Applicable | |
| 7 | <service_category> </service_category> | STRING | Y | Discretionary Non-Discretionary Advisory | |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|----|--|-----------|-----------|-----------------------------|--|
| 8 | <client_first_name></client_first_name> | STRING | Υ | Maximum length allowed: 100 | |
| 9 | <client_middle_name></client_middle_name> | STRING | N | Maximum length allowed: 35 | |
| 10 | <client_last_name></client_last_name> | STRING | N | Maximum length allowed: 35 | |
| 11 | <client_address></client_address> | STRING | Y | Maximum length allowed: 300 | |
| 12 | <client_city></client_city> | STRING | N | Maximum length allowed: 100 | |
| 13 | <client_state></client_state> | STRING | N | Maximum length allowed: 35 | |
| 14 | <client_pincode></client_pincode> | INT | N | Length allowed: 4 to 6 | |
| 15 | <client_country></client_country> | STRING | N | Maximum length allowed: 35 | |
| 16 | <pre><client_primary_mobile_no></client_primary_mobile_no></pre> | STRING | N | Length allowed: 7 to 15 | Please specify STD/ISD Codes. Acceptable pattern is as follows: 1st char (optional)-> + or 0 2nd char -> 1 - 9 |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|----|--|-----------|-----------|-----------------------------|---|
| | | | | | 3 rd char onwards -> 0 - 9 Acceptable values are: +123456 1234567 0123456789 Not acceptable: 00123456 +012345678 |
| 17 | <client_email> </client_email> | STRING | N | Maximum length allowed: 100 | |
| 18 | <pre><joint_holder_1_name></joint_holder_1_name></pre> | STRING | N | Maximum length allowed: 150 | Second Holder name (Joint holder 1), mandatory if mode of holding is joint |
| 19 | <joint_holder_1_pan>AN></joint_holder_1_pan> | STRING | N | Length allowed: 10 | Joint Holder 1 PAN, mandatory if mode of holding is joint |
| 20 | <pre><joint_holder_2_name></joint_holder_2_name></pre> | STRING | N | Maximum length allowed: 150 | Third Holder name (Joint Holder 2), mandatory if mode of holding is joint and 2 holders are there |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|----|--|-----------|-----------|--|--|
| 21 | <joint_holder_2_pan> </joint_holder_2_pan> | STRING | N | Length allowed: 10 | Joint Holder 2 PAN, mandatory if mode of holding is joint and 2 holders are there |
| 22 | <holding_nature></holding_nature> | STRING | Y | Single Anyone or Survior Joint First or Survior Not Applicable | SINGLE ANYONE OR SURVIOR JOINT FIRST OR SURVIOR NOT APPLICABLE (FOR NON INDIVIDUALS) |
| 23 | <nominee_1_name></nominee_1_name> | STRING | N | Maximum length allowed: 100 | |
| 24 | <nominee_1_pan_no> </nominee_1_pan_no> | STRING | N | Length allowed: 10 | |
| 25 | <nominee_2_name></nominee_2_name> | STRING | N | Maximum length allowed: 100 | |
| 26 | <nominee_2_pan_no> </nominee_2_pan_no> | STRING | N | Length allowed: 10 | |
| 27 | <nominee_3_name></nominee_3_name> | STRING | N | Maximum length allowed: 100 | |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|----|---|-----------|-----------|-------------------------------|--|
| 28 | <nominee_3_pan_no></nominee_3_pan_no> | STRING | N | Length allowed: 10 | |
| 29 | <first_holder_gender></first_holder_gender> | STRING | N | Male Female Other NA | |
| 30 | <pre><first_holder_dob>/FIRST_HOLDER_DOB></first_holder_dob></pre> | DATE | N | YYYY-MM-DD | Date of Birth of First holder |
| | | | | | For non-individuals, date of incorporation will be captured wherever available |
| 31 | <pre><first_holder_nationality></first_holder_nationality></pre> | STRING | N | Maximum length allowed: 40 | Nationality of First holder |
| 32 | <pre><first_holder_occupation></first_holder_occupation></pre> /FIRST_HOLD ER_OCCUPATION> | STRING | N | Maximum length allowed: 100 | Occupation of First Holder |
| 33 | <pre><date_of_pms_account_activation>E_OF_PMS_ACCOUNT_ACTIVATION></date_of_pms_account_activation></pre> | DATE | N | YYYY-MM-DD | PMS Account Activation date |
| 34 | <is_account_active><th>BOOL</th><th>Y</th><th>true</th><th>Active Account – True</th></is_account_active> | BOOL | Y | true | Active Account – True |
| | > | | | false | Inactive Account – False |
| | | | | | Examples of inactive accounts: |
| | | | | | UCC created but funds not received. |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|----|---|-----------|-----------|-----------------------------|---|
| | | | | | Full Redemption request received, but full and final settlement is pending. Insufficient funds and client not reachable |
| 35 | <inactive_since></inactive_since> | DATE | N | YYYY-MM-DD | Mandatory for inactive accounts. If account inactive on account of complete withdrawal of funds, the date as mentioned written request has to be mentioned. |
| 36 | <account_inactivity_desc></account_inactivity_desc> | STRING | N | Maximum length allowed: 200 | Reason for tagging account as inactive. Reasons may be one of the below: 1. Insufficient funds and client not reachable 2. Demat account opened but no initial fund transfer. 3. Written instruction received for complete redemption of funds. 4. Others – please specify |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|----|--|-----------|-----------|-------------------|--|
| 37 | <pre><date_of_pms_account_closure></date_of_pms_account_closure></pre> | DATE | N | YYYY-MM-DD | The date of full and final settlement shall be reported as Account Closure Date. |

3.7. PMS_Inspection_PM_Operating_Expense.xml

3.7.1. Header [<Header></Header>] – Only one occurrence

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|----------------------------------|-----------|-----------|---|-------------------------------------|
| 1 | <login_id></login_id> | INT | Y | >0 | Login ID of the PMS |
| 2 | <year> <year></year> </year> | STRING | Y | 20XX to 21XX | Year of Report for this XML File |
| 3 | <month> <month></month> </month> | STRING | Y | January February March April May June July August September October November December | Month of Report for this XML File |

3.7.2. PMS_Expense [<PMS_Expense></PMS_Expense>] - None or more occurrences allowed

<u>Important Note</u>: For ease of reporting, for each nature of service, a single entry with aggregate amount per vendor per month may be reported with ACCRUAL_DATE as the last date of the month for which the report is being submitted.

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|----|--|-----------|-----------|---|--|
| 1. | <accrual_date></accrual_date> | DATE | Y | YYYY-MM-DD | Date of booking the expense |
| 2. | <vendor_pan> <is_valid_pan></is_valid_pan> </vendor_pan> | STRING | Y | Length allowed: 10 | PAN of the vendor from whom the service taken |
| 3. | <vendor_name></vendor_name> | STRING | Y | Maximum length allowed: 100 | Name of the vendor from whom the service taken |
| 4. | <nature_of_service></nature_of_service> | STRING | Y | Broking Custody DP Fund Accounting RTA Distributor Comm Other | |
| 5. | <pre><is_vendor_associate_of_pms></is_vendor_associate_of_pms></pre> | BOOL | Y | TRUE FALSE | Whether the vendor is associate of PMS |
| 6. | <amount_paid></amount_paid> | FLOAT | Y | DECIMAL(24,4) | Amount paid in INR |
| 7. | <frequency></frequency> | STRING | Y | Monthly Quarterly | |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|-----|-----------|-----------|-------------------|----------|
| | | | | Yearly | |
| | | | | Other | |

3.8. PMS_Inspection_PM_Master.xml

3.8.1. Header [<Header></Header>] – Only one occurrence

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|----------------------------------|-----------|-----------|---|-------------------------------------|
| 1 | <login_id></login_id> | INT | Y | >0 | Login ID of the PMS |
| 2 | <year> <year></year> </year> | STRING | Y | 20XX to 21XX | Year of Report for this XML File |
| 3 | <month> <month></month> </month> | STRING | Y | January February March April May June July August September October November December | Month of Report for this XML File |

3.8.2. PMS_Master [<<u>PMS_Master</u>></<u>PMS_Master</u>>] - Only one occurrence

| # | Тад | Data Type | Mandatory | Allowed Character | Comments |
|---|---|-----------|-----------|-----------------------------|--|
| 1 | <pm_name></pm_name> | STRING | Y | Maximum length allowed: 100 | Name of Portfolio Manager |
| 2 | <pm_pan> </pm_pan> | STRING | Y | Length allowed: 10 | PAN of Portfolio Manager |
| 3 | <pm_po_pan> </pm_po_pan> | STRING | Y | Length allowed: 10 | PAN of Principle Officer |
| 4 | <pm_po_name></pm_po_name> | STRING | Y | Maximum length allowed: 100 | Name of Principal Officer |
| 5 | <pm_po_doj></pm_po_doj> | DATE | Y | YYYY-MM-DD | Principal Officer's Date of Joining |
| 6 | <pm_sebi_reg_no></pm_sebi_reg_no> | STRING | Y | Maximum length allowed: 20 | SEBI Reg. Number of Portfolio Manager |
| 7 | <pm_co_pan></pm_co_pan> | STRING | Y | Length allowed: 10 | PAN of Compliance Officer |
| 8 | <pm_co_name></pm_co_name> | STRING | Υ | Maximum length allowed: 100 | Name of Compliance Officer |
| 9 | <po_nism_certificate_no></po_nism_certificate_no> | STRING | N | Maximum length allowed: 20 | Principal Officer's NISM Certificate Number |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|----|---|-----------|-----------|-------------------------------|---|
| 10 | <po_nism_certific_date>DATE></po_nism_certific_date> | DATE | N | YYYY-MM-DD | Date of NISM certificate |
| 11 | <fiu_reg_no></fiu_reg_no> | STRING | N | Maximum length allowed: 20 | FIU Reg Number |
| 12 | <kra_reg_no></kra_reg_no> | STRING | N | Maximum length allowed: 20 | Institution code issued by KRA In case of registration with multiple KRA agencies, provide any one KRA agency registration number |
| 13 | <cersai_reg_no></cersai_reg_no> | STRING | N | Maximum length allowed: 20 | Institution code issued by CERSAI |
| 14 | <score_reg_no></score_reg_no> | STRING | Y | Maximum length allowed: 20 | SEBI SCORES registration number |
| 15 | <weblink></weblink> | STRING | N | Maximum length allowed: 500 | Website of the Portfolio Manager |
| 16 | <fo_system_name></fo_system_name> | STRING | N | Maximum length allowed: 100 | Name of Front Office Trading System |

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|----|---|-----------|-----------|-----------------------------|--|
| 17 | <bo_system_name></bo_system_name> | STRING | N | Maximum length allowed: 100 | Name of Back Office Accounting System or Fund accountant |
| 18 | <pm_surrender_date></pm_surrender_date> | DATE | N | YYYY-MM-DD | Date of approval of application for surrender by SEBI |
| 19 | <pm_net_worth></pm_net_worth> | FLOAT | Y | DECIMAL(24,4) | Latest Audited Net-Worth. |
| 20 | <pm_net_worth_date></pm_net_worth_date> | DATE | Y | YYYY-MM-DD | Date of audited Net Worth Certificate base on which Net Worth is reported in field PM_NET_WORTH. |

3.9. PMS_Inspection_PM_Pool_Acc_Master.xml

3.9.1. Header [<Header></Header>] – Only one occurrence

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|----------------------------------|-----------|-----------|---|-------------------------------------|
| 1 | <login_id></login_id> | INT | Y | >0 | Login ID of the PMS |
| 2 | <year> <year></year> </year> | STRING | Y | 20XX to 21XX | Year of Report for this XML File |
| 3 | <month> <month></month> </month> | STRING | Y | January February March April May June July August September October November December | Month of Report for this XML File |

3.9.2. PMS_PoolAcc [<PMS_PoolAcc></PMS_PoolAcc>] - None or more occurrences allowed

<u>Important Note</u>: Kindly ensure that each of the POOL_BOID should be uniquely identified in this report. No two entries for same POOL_BOID should be present.

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|-------------------------------|-----------|-----------|--------------------------------|--------------------|
| 1 | <pool_dp_id></pool_dp_id> | STRING | Y | Maximum length allowed: 20 | Pool DP ID |
| 2 | <pool_dp_name></pool_dp_name> | STRING | Υ | Maximum length allowed: 100 | Pool Name of DP |
| 3 | <pool_name> </pool_name> | STRING | Y | Maximum length allowed: 100 | Pool Account title |
| 4 | <pool_boid></pool_boid> | STRING | Y | Length allowed: 16 | Pool BOID |

3.10. PMS_Inspection_PM_Associated_Security_Details.xml

3.10.1. Header [<Header></Header>] - Only one occurrence

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|----------------------------------|-----------|-----------|---|-------------------------------------|
| 1 | <login_id></login_id> | INT | Y | >0 | Login ID of the PMS |
| 2 | <year> <year></year> </year> | STRING | Y | 20XX to 21XX | Year of Report for this XML File |
| 3 | <month> <month></month> </month> | STRING | Y | January February March April May June July August September October November December | Month of Report for this XML File |

3.10.2. PMS_Asctd_Sec_Dtls [<PMS_Asctd_Sec_Dtls></PMS_Asctd_Sec_Dtls>] - None or more occurrences allowed

Important Note:

All listed equity shares in which the Portfolio Manager has invested client's funds has to be reported for every date of the reporting month on which:

- the issuer of the security was <u>an associate</u> of the Portfolio Manager (as specified in sub-section (6) of section 2 of the Companies Act, 2013) or,
- the issuer of the security was <u>related to</u> Portfolio Manager as per the definition provided in Regulation 2(1)(pa) of the SEBI (Portfolio Managers) Regulations, 2020.

| # | Tag | Data Type | Mandatory | Allowed Character | Comments |
|---|------------------------------------|-----------|-----------|-------------------------------|---|
| 1 | < INVESTMENT_TYPE> INVESTMENT_TYPE | STRING | Y | Equity Derivatives | Investment Type |
| 2 | < ASSET_TYPE> ASSET_TYPE | STRING | Y | Equity Shares Futures Options | Asset Type (For Equity: Equity Shares For Derivative: Futures or Options) |
| 3 | < SECURITY_ISIN> SECURITY_ISIN | STRING | N | Maximum length allowed: 12 | ISIN of security. |

| 4 | < SECURITY_CODE> SECURITY_CODE | STRING | N | Maximum length allowed: 20 | Internal code of the security for which there is no ISIN. |
|---|------------------------------------|--------|---|----------------------------|---|
| 5 | < ASSOCIATED_DATE> ASSOCIATED_DATE | DATE | Y | YYYY-MM-DD | |

4. Annexure

4.1. Annexure A

Allowed values for Ratings

| AAA | A AA+ AA AA- | | A+ | А | | |
|------------------------|----------------------|---------|-----------------|-----------|----------|--|
| A- | BBB+ | BBB | BBB- | BB+ | BB | |
| BB- | B+ | В | B- | C+ | С | |
| C- | A1+ | A1 | A2+ | A2 | A3+ | |
| А3 | A4+ | A4 | Privately Rated | Sovereign | Unrated | |
| AAA(SO) | AA+(SO) | AA(SO) | AA-(SO) | A+(SO) | A(SO) | |
| A-(SO) | BBB+(SO) | BBB(SO) | BBB-(SO) | BB+(SO) | BB(SO) | |
| BB-(SO) | B+(SO) | B(SO) | B-(SO) | C+(SO) | C(SO) | |
| C-(SO) | C-(SO) D(SO) AAA(CE) | | A1+(SO) | A1(SO) | A2+(SO) | |
| A2(SO) | A3+(SO) | A3(SO) | A4+(SO) | A4(SO) | AA+(CE) | |
| AA(CE) | AA-(CE) | A+(CE) | A(CE) | A-(CE) | BBB+(CE) | |
| BBB(CE) | BBB-(CE) | BB+(CE) | BB(CE) | BB-(CE) | B+(CE) | |
| B(CE) | B-(CE) | C+(CE) | C(CE) | C-(CE) | D(CE) | |
| A1+(CE) A1(CE) A2+(CE) | | A2(CE) | A3+(CE) | A3(CE) | | |
| A4+ | (CE) | A | 4(CE) | D | | |

4.2. Annexure B

Allowed values for Rating Agency

| CARE | CRISIL | ICRA |
|-----------|---------|-------|
| FITCH | BWR | IVR |
| ACUITE | IND | SMERA |
| Sovereign | Unrated | |